

20111028

ACTi



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Camera Search Tool	Remarks
TCD2100	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	720x480	-	1/1	Yes	Yes	Yes	Yes	
TCD2500	A1D-310-V4.06.08-AC	H.264 MPEG4 M-JPEG	1	720x480	1-way	2/1	Yes	Yes	Yes	Yes	
TCM1231	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Yes	
TCM1232		H.264 MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Yes	Supported by design
TCM1511	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Yes	
TCM3001		H.264 MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Yes	Supported by design
TCM3011	A1D-310-V4.07.10-AC	H.264 MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Yes	
TCM3401		H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Yes	Supported by design
TCM3411	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Yes	
TCM3511	AID-310-	H.264	1	1280x1024	1-way	1/1	-	Yes	Yes	Yes	

20111028

	V4.06.00-AC	MPEG4										
		M-JPEG										
TCM4101		H.264	1	640x480	1-way	-	-	Yes	Yes	Yes	Supported by design	
		MPEG4										
		M-JPEG										
TCM4201	AID-310-	H.264	1	1280x1024	1-way	1/1	-	Yes	Yes	Yes		
	V4.07.15-AC	MPEG4										
		M-JPEG										
TCM4301	AID-310-	H.264	1	1280x1024	1-way	-	-	Yes	-	Yes	Supported by design	
	V4.05.13-AC	MPEG4										
		M-JPEG										
TCM5001	AID-310-	H.264	1	640x480	1-way	1/1	-	Yes	Yes	Yes		
	V4.07.15-AC	MPEG4										
		M-JPEG										
TCM5311	AID-310-	H.264	1	1280x960	1-way	1/1	-	Yes	-	Yes		
	V4.05.13-AC	MPEG4										
		M-JPEG										
TCM5312		H.264	1	1280x960	1-way	1/1	-	Yes	Yes	Yes	Supported by design	
		MPEG4										
		M-JPEG										
TCM5601	AID-310-	H.264	1	1280x1024	1-way	1/1	-	-	Yes	Yes	Supported by design	
	V4.06.09-AC	MPEG4										
		M-JPEG										
TCM5611	AID-310-	H.264	1	1280x1024	1-way	1/1	-	-	Yes	Yes		
	V4.06.09-AC	MPEG4										
		M-JPEG										
TCM7011	AID-310-	H.264	1	640x480	1-way	1/1	-	Yes	Yes	Yes		
	V4.06.09-AC	MPEG4										
		M-JPEG										
TCM7411		H.264	1	1280x1024	1-way	1/1	-	-	Yes	Yes	Supported by design	
		MPEG4										
		M-JPEG										
TCM7811	AID-310-	H.264	1	1280x960	1-way	1/1	-	Yes	Yes	Yes		
	V4.07.15-AC	MPEG4										
		M-JPEG										

20111028

Arecont Vision



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Camera Search Tool	Remarks
AV1300	64328	M-JPEG	1	1280x1024	-	-	-	Yes	-	Yes	Supported by design
AV1305	64331	H.264 M-JPEG	1	1280x1024	-	-	-	Yes	-	Yes	
AV1355	65130	H.264 M-JPEG	1	1280x1024	-	-	-	Yes	-	Yes	Supported by design
AV1310		M-JPEG	1	1280x1024	-	-	-	Yes	-	Yes	Supported by design
AV1315	65191	H.264 M-JPEG	1	1280x1024	-	-	-	Yes	-	Yes	
AV2000	64328	M-JPEG	1	1600x1184	-	-	-	Yes	-	Yes	Supported by design
AV2100	64328	M-JPEG	1	1600x1184	-	-	-	Yes	-	Yes	Supported by design
AV2110		M-JPEG	1	1600x1184	-	-	-	Yes	-	Yes	Supported by design
AV2105	64331	H.264 M-JPEG	1	1600x1184	-	-	-	Yes	-	Yes	
AV2155	64803	H.264 M-JPEG	1	1600x1184	-	-	-	Yes	-	Yes	
AV2805	65150	H.264 M-JPEG	1	1920x1080	-	1/1	-	Yes	-	Yes	
AV2815	65191	H.264 M-JPEG	1	1920x1080	-	1/1	-	Yes	-	Yes	
AV3100	64328	M-JPEG	1	2048x1536	-	-	-	Yes	-	Yes	Supported by design
AV3110		M-JPEG	1	1920x1216	-	-	-	Yes	-	Yes	Supported by design

NVRmini supported camera on mobile

20111028

AV3130	61906	M-JPEG	1	2048x1536	-	-	-	Need to retest	-	Yes	Supported by design
AV3135	65135	H.264 M-JPEG	1	2048x1536	-	1/1	-	Yes	-	Yes	
AV3105	64331	H.264 M-JPEG	1	2048x1536	-	-	-	Yes	-	Yes	
AV3155	65113	H.264 M-JPEG	2048x	2048x1536	-	-	-	Yes	-	Yes	
AV5100	61906	M-JPEG	1	2560x1600	-	-	-	Yes	-	Yes	
AV5110		M-JPEG	1	2560x1600	-	-	-	Yes	-	Yes	Supported by design
AV5105	64331	H.264 M-JPEG	1	2560x1600	-	1/1	-	Yes	-	Yes	
AV5155	6511	H.264 M-JPEG	1	2560x1600	-	-	-	Yes	-	Yes	
AV8180	65010	M-JPEG	4	1600x1184	-	-	-	Yes	-	Yes	Supported by design
AV8185	64803	H.264 M-JPEG	4	1600x1200	-	-	-	Yes	-	Yes	
AV8360	65010	M-JPEG	4	1600x1184	-	-	-	Yes	-	Yes	Supported by design
AV8365	65026	H.264 M-JPEG	4	1600x1184	-	-	-	Yes	-	Yes	Supported by design
AV8365DN		H.264 M-JPEG	4	1600x1184	-	-	-	Yes	-	Yes	Supported by design
AV10005	65147	H.264 M-JPEG	1	3648x2752	-	-	-	Yes	-	Yes	

Axis



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
205		M-JPEG	1	640x480	-	-	-	Yes	-	Supported by design

NVRmini supported camera on mobile



20111028

206		M-JPEG	1	640x480	-	-	-	Yes	Yes	Supported by design
206M		M-JPEG	1	1280x1024	-	-	-	Yes	Yes	Supported by design
206W		M-JPEG	1	640x480	-	-	-	Yes	Yes	Supported by design
207	4.40	MPEG4	1	640x480	1/way	1/1	-	Yes	Yes	
		M-JPEG								
207W		MPEG4	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
		M-JPEG								
209FD		MPEG4	1	640x480	-	-	-	Yes	Yes	Supported by design
		M-JPEG								
209FD-R		MPEG4	1	640x480	-	-	-	Yes	Yes	Supported by design
		M-JPEG								
209MFD		MPEG4	1	1280x1024	-	-	Yes	Yes	Yes	Supported by design
		M-JPEG								
209MFD-R		MPEG4	1	1280x1024	-	-	Yes	Yes	Yes	Supported by design
		M-JPEG								
210		MPEG4	1	640x480	-	1/1		Yes	Yes	Supported by design
		M-JPEG								
210A	4.40	MPEG4	1	640x480	1-way	1/1	-	Yes	Yes	
		M-JPEG								
211		MPEG4	1	640x480	-	1/1	-	Yes	Yes	Supported by design
		M-JPEG								
211A		MPEG4	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
		M-JPEG								
211M		MPEG4	1	640x480	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
211W		MPEG4	1	640x480	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
212		MPEG4	1	640x480	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
212 PTZ-V		MPEG4	1	640x480	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
213		MPEG4	1	704x576	1-way	2/3	Yes	Yes	Yes	Supported by design
		M-JPEG								
214	4.33	MPEG4	1	704x480	1-way	1/1	Yes	Yes	Yes	
		M-JPEG								
215		MPEG4	1	704x576	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								

20110810

215 PTZ-E		MPEG4 M-JPEG	1	704x576	1-way	1/1	-	Yes	Yes	Supported by design
216FD		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
216FD-V		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
216MFD		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Supported by design
216MFD-V		MPEG4 M-JPEG	1	1280x1024	1-way	11	-	Yes	Yes	Supported by design
221		MPEG4 M-JPEG	1	640x480	-	2/1	-	Yes	Yes	Supported by design
223M		MPEG4 M-JPEG	1	1600x1200	1-way	2/1	-	Yes	Yes	Supported by design
225FD		MPEG4 M-JPEG	1	640x480	-	2/1	-	Yes	Yes	Supported by design
231D		MPEG4 M-JPEG	1	704x576	-	4/4	Yes	Yes	Yes	Supported by design
232D		MPEG4 M-JPEG	1	704x576	-	4/4	Yes	Yes	Yes	Supported by design
233D		MPEG4 M-JPEG	1	704x576	1-way	4/4	Yes	Yes	Yes	Supported by design
240Q		M-JPEG	4	704x576	-	4/4	-	Yes	Yes	Supported by design
241Q		MPEG4 M-JPEG	4	704x576	-	4/4	-	Yes	Yes	Supported by design
241QA	4.30	MPEG4 M-JPEG	4	704x576	1-way	4/4	-	Yes	Yes	
241S		MPEG4 M-JPEG	1	704x576	-	4/4	-	Yes	Yes	Supported by design
241SA		MPEG4 M-JPEG	1	704x576	-	1/1	-	Yes	Yes	Supported by design
242S		MPEG4 M-JPEG	1	704x576	-	4/4	-	Yes	Yes	Supported by design
243Q		MPEG4 M-JPEG	1	704x576	-	1/1	-	Yes	Yes	Supported by design
243SA		MPEG4 M-JPEG	1	704x576	1-way	4/4	-	Yes	Yes	Supported by design

NVRmini supported camera on mobile



20110810

240Q Blade		M-JPEG	4	704x576	-	4/4	-	Yes	Yes	Supported by design
241Q Blade		MPEG4	4	704x576	-	4/4	-	Yes	Yes	Supported by design
		M-JPEG								
241S Blade		MPEG4	1	704x576	-	4/4	-	Yes	Yes	Supported by design
		M-JPEG								
243Q Blade		MPEG4	1	704x576	-	4/4	-	Yes	Yes	Supported by design
		M-JPEG								
247S		MPEG4	1	704x576	1-way	1/1	-	Yes	Yes	Supported by design
		M-JPEG								
2400		M-JPEG	4	704x576	-	4/1	-	Yes	Yes	Supported by design
M1011	5.00	H.264	1	640x480	-	-	-	Yes	Yes	
		MPEG4								
		M-JPEG								
M1011-W	5.00	H.264	1	640x480	-	-	-	Yes	Yes	
		MPEG4								
		M-JPEG								
M1031-W	5.00	H.264	1	640x480	1-way	-	-	Yes	Yes	
		MPEG4								
		M-JPEG								
M1113	5.08	H.264	1	800x600	-	-	Yes	Yes	Yes	
		M-JPEG								
M1103			1	1280x800	-	-	-	Yes	Yes	Supported by design
M1104	5.09	H.264	1	1280x800	-	-	-	Yes	Yes	
		M-JPEG								
M1114		H.264	1	1280x800	-	-	-	Yes	Yes	Supported by design
		M-JPEG								
M3011	5.01	MPEG4	1	640x480	-	-	-	Yes	Yes	Supported by design
		M-JPEG								
M3014		H.264	1	1280x800	-	-	-	Yes	Yes	
		M-JPEG								
M3203		H.264	1	800x600	-	-	-	Yes	Yes	Supported by design
		M-JPEG								
M3203-V		H.264	1	1280x800	-	-	-	Yes	Yes	Supported by design
		M-JPEG								
M3204		H.264	1	1280x800	-	-	-	Ye	Yes	Supported by design
		M-JPEG								
M3204-V		H.264	1	1280x800	-	-	-	Yes	Yes	Supported by design

20110810

M-JPEG										
P1311	5.01	H.264	1	640x480	1-way	1/1	-	Yes	Yes	
		MPEG4								
		M-JPEG								
P1343	5.06	H.264	1	640x480	1-way	1/1	Yes	Yes	Yes	
		M-JPEG								
P1344		H.264	1	1280x800	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
P1346	5.06	H.264	1	2048x1536	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
P1343-E		H.264	1	640x480	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
P1344-E	5.06	H.264	1	1280x800	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
P1346-E		H.264	1	2048x1536	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
P1347-E		H.264	1	2560x1920	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
P3301	5.11	H.264	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
		M-JPEG								
P3301-V		H.264	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
		M-JPEG								
P3343	5.06	H.264	1	800x600	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
P3343-V		H.264	1	800x600	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
P3343-VE		H.264	1	800x600	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
P3344	5.06	H.264	1	1280x800	1-way	1/1	Yes	Yes	Yes	
		M-JPEG								
P3344-V	5.06	H.264	1	1280x800	1-way	1/1	Yes	Yes	Yes	
		M-JPEG								
P3344-VE	5.06	H.264	1	1280x800	1-way	1/1	Yes	Yes	Yes	
		M-JPEG								
P3346	5.20	H.264	1	2048x1536	1-way	1/1	Yes	Yes	Yes	
		M-JPEG								
P3346-V		H.264	1	2048x1536	1-way	1/1	Yes	Yes	Yes	Supported by design

NVRmini supported camera on mobile



20110810

		M-JPEG								
P3346-VE		H.264	1	2048x1536	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
Q1755	5.02	H.264	1	1920x1080	1-way	1/1	Yes	Yes	Yes	
		M-JPEG								
Q6034	5.20.3	H.264	1	1280x720	1-way	2/2	Yes	Yes	Yes*	
		M-JPEG								
P5532	5.15	H.264	1	1720x480	1-way	2/2	Yes	Yes	Yes	
		M-JPEG								
P5532-E		H.264	1	720x480	1-way	2/2	Yes	Yes	Yes	Supported by design
		M-JPEG								
P5534-E		H.264	1	1280x720	1-way	2/2	Yes	Yes	Yes	Supported by design
		M-JPEG								
Q1755-E		H.264	1	1920x1080	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
Q1921	5.11	H.264	1	768x576	-	2/0	-	Yes	Yes	
		M-JPEG								
Q1921-E		H.264	1	768x576	-	2/0	-	Yes	Yes	Supported by design
		M-JPEG								
Q6032-E	5.05	H.264	1	704x576	-	-	Yes	Yes	Yes	
		M-JPEG								
Q7401		H.264	1	704x576	1-way	2/2	Yes	Yes	Yes	Supported by design
		M-JPEG								
Q7404	5.02	H.264	4	768x576	1-way	1/1	Yes	Yes	Yes	
		M-JPEG								
Q7406		H.264	6	704x576	-	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								

Brickcom



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
CB-100Ae	v3.0.2.4	MPEG4	1	1280x800	1-way	-	-	Yes	Yes	Tested by

20110810

										manufacturer
CB-100Ap	v3.0.2.4	M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	Tested by manufacturer
		H.264								
		MPEG4								
FB-100Ae	v3.0.2.3	M-JPEG	1	1280x800	1-way	1/0	-	Yes	Yes	Tested by manufacturer
		H.264								
		MPEG4								
FB-100Ap	v3.0.2.3	M-JPEG	1	1280x800	1-way	1/0	-	Yes	Yes	Tested by manufacturer
		H.264								
		MPEG4								
FB-100Ae	v3.0.2.3	M-JPEG	1	1280x800	1-way	1/0	-	Yes	Yes	Tested by manufacturer
		H.264								
		MPEG4								
FB-100Ap	v3.0.2.3	M-JPEG	1	1280x800	1-way	1/0	-	Yes	Yes	Tested by manufacturer
		H.264								
		MPEG4								
WCB-100Ae	v3.0.2.4	M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	Tested by manufacturer
		H.264								
		MPEG4								
WCB-100Ap	v2.3.7.8.	M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	
		H.264								
		MPEG4								
WCB-100Ae	v3.0.2.3	M-JPEG	1	1280x800	1-way	1/0	-	Yes	Yes	Tested by manufacturer
		H.264								
		MPEG4								
WFB-100Ap	v2.3.7.8	M-JPEG	1	1280x800	1-way	1/0	-	Yes	Yes	
		H.264								
		MPEG4								

Cisco



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
PVC-300	1.0.0	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	Supported by design

20110810

CNB



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IDP4030VR		H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	-	-	Yes	Supported by design
IVP4030VR		H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	-	-	Yes	Supported by design
IGP1030	XNET.A1- 1.1.9.1104	H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	-	Yes	

D-Link



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DCS-3110		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Supported by design
DCS-3415	1.00	MPEG4	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
DCS-5610		MPEG4 M-JPEG	1	720x576	1-way	1/1	Yes	Yes	Yes	Supported by design
DCS-6110	1.00	M-JPEG	1	720x576	-	1/1	-	Yes	Yes	Supported by design
DCS-6111	1.00	MPEG4 M-JPEG	1	704x576	1-way	1/1	-	Yes	Yes	Supported by design

20110810

Dynacolor



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
NH061-CCD	CCD-cameraFw-100205P	H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	Yes	
NH221-CCD	CCD-cameraFw-100205P	H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	Yes	
V1-A		H.264 M-JPEG	1	1920x1080	-	-	-	Yes	Yes	Supported by design
V1-B	d20100630NS	H.264 M-JPEG	1	1920x1080	1-way	-	-	Yes	Yes	
V2-A		H.264 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	Supported by design
V2-B	d20100826NS	H.264 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
V6-A		H.264 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	Supported by design
V6-B	d20100603NS	H.264 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	

Eneo



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
GLC-1610H		H.264 M-JPEG	1	720x480	1-way	1/1	Yes	Yes	Yes	Supported by design
GLC-1701/IR	1.45	MPEG4	1	720x576	-	1/0	-	Yes	Yes	

20110810

Device Name	Tested	Video	Video	Max	Audio	I/O	PTZ	On-Edge	UPnP	Remarks
	Firmware	Format	Ch	Resolution		Ch		Motion		
		M-JPEG								
GLS-2104	1.78	M-JPEG	4	704x272	1-way	-	Yes	Yes	Yes	
GLS-2301H	1.09	H.264	1	720x480	1-way	-	-	Yes	Yes	
		M-JPEG								
NLC-1401	v1.5.6	H.264	1	704x576	1-way	1-0	Yes	Yes	Yes	
		MPEG4								
NLD-1401	v1.5.6	H.264	1	1280x720	-	2/0	-	Yes	Yes	
		MPEG4								
NLS-1401	v1.5.6	H.264	1	704x576	1-way	2/0	Yes	Yes	Yes	
		MPEG4								
NXC-1301M	v2.1.2	H.264	1	1280x720	-	2/0	-	Yes	Yes	
NXC-1302M	v2.1.2	H.264	1	1600x1200	-	2/0	-	Yes	Yes	
NXC-1401M	v2.1.2	H.264	1	1280x720	-	2/0	-	Yes	Yes	
NXC-1402M	v2.1.2	H.264	1	1600x1200	-	2/0	-	Yes	Yes	
NXD-1301M	v2.1.2	H.264	1	1280x720	-	2/0	-	Yes	Yes	

Fine



Device Name	Tested	Video	Video	Max	Audio	I/O	PTZ	On-Edge	UPnP	Remarks
	Firmware	Format	Ch	Resolution		Ch		Motion		
CDV-3V930		MPEG4	1	720x480	1-way	1/1	-	Yes	-	Supported by design
		M-JPEG								
CDV-3V930U		MPEG4	1	720x480	1-way	1/1	-	Yes	-	Supported by design
		M-JPEG								
CDV-3VM301		MPEG4	1	1280x1024	1-way	1/1	-	Yes	-	Supported by design
		M-JPEG								
CDV-3VM501		H.264	1	1600x1200	1-way	1/1	-	Yes	-	Supported by design
		M-JPEG								
CDV-3VWD960	V1.0.16_F	H.264	1	720x576	1-way	1/1	-	Yes	-	
		M-JPEG								
CDV-3VWD960H		H.264	1	720x576	1-way	1/1	-	Yes	-	Supported by design
		M-JPEG								
EDH-02H	V1.0.20_F	H.264	1	720x480	1-way	1/1	Yes	Yes	-	Supported by design
		M-JPEG								

NVRmini supported camera on mobile



20110810

EP-201		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
EP-221		MPEG4 M-JPEG	1	720x480	1-way	1/0	Yes	Yes	-	Supported by design
EP-221DN		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
EP-601		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
EP-601HW		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
EP-908		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
EP-908HW		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
EP-936		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
EP-936HW		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
CDEP-HTQ935	V3.2.56_F	MPEG4 M-JPEG	1	720x480	-	0/0	Yes	Yes	-	
EP-Q2018H-IP		H.264 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
EP-Q2018HW-IP	V1.0.8_F	H.264 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
EP-Q2026H-IP		H.264 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
EP-Q2026HW-IP		H.264 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
EP-Q2036H-IP		H.264 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
EP-Q2036HW-IP		H.264 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	Supported by design
MD-D1200		MPEG4 M-JPEG	1	720x480	1-way	1/1	Yes	Yes	-	Supported by design
MD-D1612	V1.0.16_F	H.264 M-JPEG	1	720x576	1-way	1/1	Yes	Yes	-	
SP-PYIR737-LA-IP		H.264	1	720x480	1-way	-	Yes	Yes	-	Supported by design

20110810

		M-JPEG									
SP-PTIR737-IP	V1.0.16_F	H.264	1	750x576	1-way	0/0	Yes	Yes	-		
		M-JPEG									
TCMA-99		MPEG4	1	1280x1024	1-way	1/1	-	Yes	-	Supported by design	
		M-JPEG									
TCMP-99		MPEG4	1	640x480	1-way	1/1	-	Yes	-	Supported by design	
		M-JPEG									
TCP-1200AV	V1.0.26_F	H.264	1	640x480	1-way	-	-	Yes	-		
		M-JPEG									
TCP-1300AM	V1.0.26_F	H.264	1	1280x1024	1-way	-	-	Yes	-		
		M-JPEG									
TCP-670DNU		MPEG4	1	720x480	1-way	2/2	-	Yes	-	Supported by design	
		M-JPEG									
TCP-680DNU		MPEG4	1	720x480	1-way	2/2	-	Yes	-	Supported by design	
		M-JPEG									
TCP-690		MPEG4	1	720x480	1-way	2/2	-	Yes	-	Supported by design	
		M-JPEG									
TCP-690DN		MPEG4	1	720x480	1-way	2/2	-	Yes	-	Supported by design	
		M-JPEG									
TCP-690U	V3.2.60_F	MPEG4	1	720x480	1-way	2/2	-	Yes	-		
		M-JPEG									
TCP-HP930		MPEG4	1	720x480	1-way	2/2	-	Yes	-	Supported by design	
		M-JPEG									
TCP-HP930U		MPEG4	1	720x480	1-way	2/2	-	Yes	-	Supported by design	
		M-JPEG									
TCP-IPWD690		MPEG4	1	720x480	1-way	2/2	-	Yes	-	Supported by design	
		M-JPEG									
TCP-IPWD700DN	V1.0.16_F	MPEG4	1	720x576	1-way	1/1	-	Yes	-		
		M-JPEG									
TCP-IR590-WD30	V1.0.20_F	H.264	1	720x576	1-way	1/1	-	Yes	-		
		M-JPEG									

20110810

TCP-IR590-WD50		H.264 M-JPEG	1	720x576	1-way	1/1	-	Yes	-	Supported by design
TCP-IRH5030C	V1.0.20_F	H.264 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	-	
TCP-IRH5040C		H.264 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	-	Supported by design
TCP-IRV540		MPEG4 M-JPEG	1	720x480	1-way	0/0	-	Yes	-	Supported by design
TCP-IRV560		MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	-	Supported by design
TCP-M912DN	V1.2.28_F	MPEG4 M-JPEG	1	MPEG4: 640x480 M-JPEG: 1280x960	1-way	2/2	-	Yes	-	
TCP-MH802	V1.0.8_F	H.264 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	-	
TCP-VM201		MPEG4 M-JPEG	1	1280x1024	1-way	0/0	-	Yes	-	Supported by design
TCP-VM501	V1.0.15_F	H.264 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	-	
WB-8211SD		MPEG4 M-JPEG	1	720x480	1-way	2/4	-	Yes	-	Supported by design
WB-8211SDU		MPEG4 M-JPEG	1	720x480	1-way	2/4	-	Yes	-	Supported by design
WB-8411		MPEG4 M-JPEG	4	720x480	1-way	4/1		Yes	-	Supported by design
WB-8412	V2.2.26_F	MPEG4 M-JPEG	4	588x448	1-way	4/4	Yes	Yes	-	
WB-H811		H.264 M-JPEG	1	720x480	1-way	2/2	Yes	Yes	-	Supported by design
WB-H814	V1.0.40_F	H.264 M-JPEG	4	720x576	1-way	4/4	Yes	Yes	-	

20110810

Grundig

FOR A GOOD REASON
GRUNDIG

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
GCI-C0735P		H.264 MPEG4 M-JPEG	1	720x576	1-way	4/1	Yes	Yes	Yes	Supported by design
GCI-C0745P	720110412NS	H.264 MPEG4 M-JPEG	1	1280x960	1-way	4/1	Yes	Yes	Yes	
GCI-H0503B	720110422NS	H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	Yes	
GCI-H0522V		H.264 MPEG4 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	Supported by design
GCI-H0602B		H.264 MPEG4 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	Supported by design
GCI-K0322V	720110413NS	H.264 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
GCI-K0503B		H.264 MPEG4 M-JPEG	1	1920x1080	-	1/1	-	Yes	Yes	Supported by design
GCI-K0512W		H.264 MPEG4 M-JPEG	1	1920x1080	-	1/1	-	Yes	Yes	Supported by design
GCI-K0523T		H.264 MPEG4 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	Supported by design

20110810

HIKVISION



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DS-6101HFI-IP	V2.0 101112	H.264	1	704x576	-	1/1	-	Yes	-	

Honeywell



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ACUIX	1.5.6	MPEG4	1	4CUF	-	-	Yes	-	-	
HCD554IP	5.4.5	MPEG4	1	4CIF	1-way	0/1	-	-	-	
HD3MDIP	7.07	MPEG4	1	1280x720	1-way	-	-	Yes	-	
HD4MDIP	8.04	MPEG4	1	1280x720	1-way	-	-	Yes	-	
HNVE1	6.3.4	MPEG4	1	4CIF	1-way	-	-	-	-	

Level One



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
FCS-3021		MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	Supported by design
FCS-4010		MPEG4 M-JPEG	1	720x576	1-way	4/1	Yes	Yes	Yes	Supported by design
FCS-5011	0100c	MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	Yes	
FCS-5030	0100a2	MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	

20110810

Mobotix



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
D12D-IT		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	Supported by design
D12D-Sec		MxPEG M-JPEG	1	2048x1536	1-way	-	-	Yes	-	Supported by design
D22M-Basic		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	Supported by design
D22M-IT	MX-V3.4.0.9	MxPEG M-JPEG	1	640x480	1-way	2/2	-	Yes	-	Supported by design
D22M-Sec		MxPEG M-JPEG	1	2048x1536	1-way	-	-	Yes	-	Supported by design
D24-Basic		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	Supported by design
D24-IT		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	Supported by design
D24-Sec	MX-V4.0.1.15 (2009-07-20)	MxPEG M-JPEG	1	2048x1536	1-way	2/2	-	Yes	-	
M10D	M10-V2.2.2.17	MJPEG	1	2048x1536	1-way	-	-	Yes	-	
M12D-IT		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	Supported by design
M12D-Sec	MX-V3.4.0.9	MxPEG M-JPEG	1	2048x1536	1-way	-	-	Yes	-	
M12D-Web		MxPEG M-JPEG	1	2048x1536	1-way	-	-	Yes	-	Supported by design
M22M-IT		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	Supported by design
M22M-Sec		MxPEG M-JPEG	1	2048x1536	1-way	-	-	Yes	-	Supported by design

20110810

Q22M-Basic	MX- V3.4.5.10	MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	Supported by design
Q22M-Sec		MxPEG M-JPEG	1	2048x1536	1-way	-	-	Yes	-	Supported by design
Q24M-Basic		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	Supported by design
Q24M-Sec	MX- V4.0.1.7	MxPEG M-JPEG	1	2048x1536	1-way	-	-	Yes	-	

NetworkCamera



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
GP-100-CB	V1.0.0.13	H.264 MPEG4 M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	
WGE-100-CB	V1.0.0.13	H.264 MPEG4 M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	
WGE-100-CB	V1.0.0.13	H.264 MPEG4 M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	
WGP-100-CB	V1.0.0.16	H.264 MPEG4 M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	

20110810

Panasonic (PCC)



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
BB-HCE481		M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	Supported by design
BB-HCM100	1.3	M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	
BB-HCM110	1.3	M-JPEG	1	640x480	1-way	2/1	Yes	Yes	Yes	
BB-HCM311		M-JPEG	1	640x480	1-way	2/1	Yes	Yes	Yes	Supported by design
BB-HCM331	1.3	M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	
BB-HCM371		M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	Supported by design
BB-HCM381	1.3	M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
BB-HCM403		M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	Supported by design
BB-HCM511	1.3	MPEG4	1	640x480	1-way	2/1	Yes	Yes	Yes	
		M-JPEG								
BB-HCM515	3.11R01	MPEG4	1	1280x1024	1-way	2/1	-	Yes	Yes	
		M-JPEG								
BB-HCM527		MPEG4	1	640x480	1-way	2/1	-	Yes	Yes	Supported by design
		M-JPEG								
BB-HCM531	3.51R00	MPEG4	1	640x480	1-way	2/1	Yes	Yes	Yes	
		M-JPEG								
BB-HCM580		MPEG4	1	640x480	-	2/1	-	Yes	Yes	
		M-JPEG								
BB-HCM581	1.3	MPEG4	1	640x480	1-way	1/0	-	Yes	Yes	
		M-JPEG								
BB-HCS301		M-JPEG	1	640x480	-	-	Yes	Yes	Yes	Supported by design
BB-HCM701	4.30R00	H.264	1	640x480	1-way	1/0	-	Yes	Yes	
		MPEG4								
		M-JPEG								
BB-HCM705	4.11R01	H.264	1	1280x960	1-way	1/0	-	Yes	Yes	
		MPEG4								
		M-JPEG								
BB-HCM715		H.264	1	1280x960	1-way	2/1	Yes	Yes	Yes	Supported by design

20110810

		MPEG4								
		M-JPEG								
BL-C1		M-JPEG	1	640x480	1-way	1/0	-	Yes	Yes	Supported by design
BL-C10		M-JPEG	1	640x480	-	-	Yes	Yes	Yes	Supported by design
BL-C101	3.52R00	MPEG4	1	640x480	1-way	1/0	-	Yes	Yes	
		M-JPEG								
BL-C111	3.10R01	MPEG4	1	640x480	1-way	-	Yes	Yes	Yes	
		M-JPEG								
BL-C121	3.52R00	MPEG4	1	640x480	1-way	1/1	-	Yes	Yes	
		M-JPEG								
BL-C131		MPEG4	1	640x480	1-way	-	-	Yes	Yes	Supported by design
		M-JPEG								
BL-C160	3.51R01	MPEG4	1	640x480	-	-	-	Yes	Yes	
		M-JPEG								
BL-C20		M-JPEG	1	640x480	-	-	-	Yes	Yes	Supported by design
BL-C30		M-JPEG	1	640x480	-	-	Yes	Yes	Yes	Supported by design
	4.31R00	H.264	1	640x480	1-way	-		Yes	Yes	
BL-C210		MPEG4								
		M-JPEG								
BL-C230		H.264	1	640x480	1-way	-	Yes	Yes	Yes	Supported by design
		MPEG4								
		M-JPEG								

Panasonic (PSS)



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
DG-NP244		MPEG4	1	640x480	1-way	-	-	Yes	-	Supported by design
		M-JPEG								
DG-NP304	1.5	MPEG4	1	1280x480	1-way	-	-	Yes	-	Supported by design
		M-JPEG								
DG-NS202		MPEG4	1	640x480	1-way	-	Yes	Yes	-	Supported by design

20110810

		M-JPEG									
DG-NS202A	2.6	MPEG4	1	640x480	1-way	-	Yes	Yes	-		
		M-JPEG									
DG-NS950	1.5	MPEG4	1	640x480	1-way	-	Yes	Yes	-	Supported by design	
		M-JPEG									
DG-NS954	1.5	MPEG4	1	640x480	1-way	-	Yes	Yes	-	Supported by design	
		M-JPEG									
DG-NW960	1.5	MPEG4	1	640x480	1-way	-	Yes	Yes	-	Supported by design	
		M-JPEG									
DG-NW964	1.5	MPEG4	1	640x480	1-way	-	Yes	Yes	-	Supported by design	
		M-JPEG									
DG-SF334	1.03	H.264	1	1280x960	1-way	-	-	Yes	-		
	1.05	MPEG4									
		M-JPEG									
KX-HCM110		M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	Supported by design	
KX-HCM280A		M-JPEG	1	640x480	-	1/1	-	Yes	Yes	Supported by design	
WJ-NT304	1.04	M-JPEG	4	640x480	-	-	Yes	-	-		
WJ-NT314C		M-JPEG	4	640x480	1-way	-	Yes	-	-	Supported by design	
WJ-GXE500	1.03	H.264	4	720x480	1-way	-	-	Yes	-		
		MPEG4									
		M-JPEG									
WV-NF284		MPEG4	1	640x480	1-way	-	-	Yes	-	Supported by design	
		M-JPEG									
WV-NF302	1.40E4+1.06	MPEG4	1	1280x960	1-way	-	-	Yes	-		
		M-JPEG									
WV-NP1000		M-JPEG	1	1280x960	1-way	-	-	Yes	-	Supported by design	
WV-NP1004	1.21	M-JPEG	1	1280x960	1-way	-	-	Yes	-		
WV-NP240		MPEG4	1	640x480	1-way	-	-	Yes	-	Supported by design	
		M-JPEG									
WV-NP244		MPEG4	1	640x480	1-way	-	-	Yes	-	Supported by design	
		M-JPEG									
WV-NP304	1.50E5_1.06	MPEG4	1	1280x960	1-way	-	-	Yes	-		
		M-JPEG									
	1.00	H.264	1	2048x1536	1-way	-	-	Yes	-		
WV-NP502		MPEG4									
		M-JPEG									
WV-NS202		MPEG4	1	640x480	1-way	-	Yes	Yes	-	Supported by design	

20110810

M-JPEG										
WV-NS202A	2.6	MPEG4	1	640x480	1-way	-	Yes	Yes	-	Supported by design
		M-JPEG								
WV-NS950	1.5	MPEG4	1	640x480	1-way	-	Yes	Yes	-	Supported by design
		M-JPEG								
WV-NS954	1.06E0	MPEG4	1	640x480	1-way	-	Yes	Yes	-	
		M-JPEG								
WV-NW484	1.10ED	MPEG4	1	640x480	-	-	-	Yes	-	
		M-JPEG								
WV-NW502S	1.00	MPEG4	1	2048x1536	1-way	-	-	Yes	-	
		M-JPEG								
WV-NW960	1.5	MPEG4	1	640x480	1-way	-	Yes	Yes	-	Supported by design
		M-JPEG								
WV-NW964		MPEG4	1	640x480	1-way	-	Yes	Yes	-	Supported by design
		M-JPEG								
WV-SF336	1.05	H.264	1	1280x960	1-way	-	Yes	Yes	-	
		M-JPEG								
WV-SP306	1.04	H.264	1	1280x960	1-way	-	Yes	Yes	-	
		M-JPEG								
WV-SC385		H.264	1	1280x960	1-way	-	Yes	Yes	-	Supported by design
		M-JPEG								
WV-SF332		H.264	1	1280x960	1-way	-	Yes	Yes	-	Supported by design
		M-JPEG								
WV-SF335		H.264	1	1280x960	1-way	-	Yes	Yes	-	Supported by design
		M-JPEG								
WV-SP102		H.264	1	1280x960	1-way	-	Yes	Yes	-	Supported by design
		M-JPEG								
WV-SP105		MPEG4								
		M-JPEG								

20110810

WV-SP302	H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	Supported by design
WV-SP305	H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	Supported by design
WV-SW395	H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	Supported by design

Pelco



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
D5118										

Sanyo



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
VCC-HD2100		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	Supported by design
VCC-HD2100P		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	Supported by design
VCC-HD2300		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	Supported by design
VCC-HD2300P		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	Supported by design
VCC-HD2500	CAM MAIN 1.00-10, CAM SUB 1.00-00,	H.264 N-JPEG	1	2288x1712	1-way	2/2	-	Yes	-	

20110810

	NET MAIN 1.00- 06, NET SUB 1.00-01									
VCC-HD2500P	CAM MAIN 1.00-10, CAM SUB 1.00-00, NET MAIN 1.01-02, NET SUB 0.00-00	H.264 M-JPEG	1	2288x1712	1-way	2/2	-	Yes	-	
VCC-HD4600	CAM MAIN 1.00-05, CAM SUB 1.00-01, NET MAIN 1.00-04, NET SUB 1.00-04	H.264 M-JPEG	1	2288x1712	1-way	2/2	Yes	Yes	-	
VCC-HD4600P		H.264 M-JPEG	1	2288x1712	1-way	2/2	Yes	Yes	-	Supported by design
VCC-HD5400		H.264 M-JPEG	1	2288x1712	1-way	4/2	Yes	Yes	-	Supported by design
VCC-HD5400P		H.264 M-JPEG	1	2288x1712	1-way	4/2	Yes	Yes	-	Supported by design
VCC-HD5600	CAM MAIN 1.00-04, CAM SUB 1.00-00, MEC MAIN 1.04-00, I/O MAIN 1.03-00, NET MAIN 1.00-04, NET SUB	H.264 M-JPEG	1	2288x1712	1-way	8/2	Yes	Yes	-	

20110810

1.00-02

VCC-HD5600P		H.264 M-JPEG	1	2288x1712	1-way	8/2	Yes	Yes	-	Supported by design
VDC-HD3100		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	Supported by design
VDC-HD3100P		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	Supported by design
VDC-HD3300P		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	
VDC-HD3500		H.264 M-JPEG	1	2288x1712	1-way	2/2	-	Yes	-	Supported by design
VDC-HD3500P		H.264 M-JPEG	1	2288x1712	1-way	2/2	-	Yes	-	Supported by design
VCC-HDN1(S)	MAIN 1.05- 04, SUB 1.00-03	H.264 M-JPEG	1	2288x1712	-	2/1	Yes	Yes	-	

Santec



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
SNC-3901MDN	3.1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	Yes	Yes	Yes	Supported by design
SNC-390DN/W	1.5	MPEG4 M-JPEG	1	720x576	1-way	1/1	Yes	Yes	Yes	
SNC-5211MIR	3.1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Tested by manufacturer
SNC-521R/W	1.5	MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
SNC5651R/W		MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	

27 / 37

NVRmini supported camera on mobile



20110810

SNC-620/W	1.0.1.5	MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	-	Tested by manufacturer
SNC-6201M	3.1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Tested by manufacturer
SNC-6221MIR	5.2.2	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Supported by design
SNC-6301M	5.2.2	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Supported by design
SNC-6701D/W	1.0.1.5	MPEG4 M-JPEG	1	720x576	1-way	1/1	Yes			
SNC-P3601M	3.1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Tested by manufacturer
SNC-3903M	9.6.1	H.264 MPEG4 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	
SNC-5321MIR		H.264 MPEG4 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	Supported by design
SNC-6163ID		H.264 MPEG4 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	Supported by design
SNC-6223MIR		H.264 MPEG4 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	Supported by design
SNC-6303M		H.264 MPEG4 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	Supported by design
SNC-P3603M		H.264 MPEG4 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	Supported by design
SVS-1100	1.1.8	H.264 MPEG4 M-JPEG	1	720x576	1-way	2/2	Yes	Yes	Yes	

20110810

Sony



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
SNC-DH110	1.27.02	H.264 MPEG4 M-JPEG	1	1280x960	-	-	-	Yes	-	Yes
SNC-DH210		H.264 MPEG4 M-JPEG	1	2048x1536	-	-	-	Yes	-	Yes
SNC-DH210T	1.27.00	H.264 MPEG4 M-JPEG	1	2048x1536	-	-	-	Yes	-	Yes

StartDot



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
SD130B		M-JPEG	1	1296x960	-	-	-	Yes	-	Supported by design
SD130BN		M-JPEG	1	1296x960	-	-	-	Yes	-	Supported by design
SD130V	NetCamSC 1.1.63	M-JPEG	1	1296x960	-	-	-	Yes	-	
SD130VN		M-JPEG	1	1296x960	-	-	-	Yes	-	Supported by design
SD300B		M-JPEG	1	2048x1536	-	-	-	Yes	-	Supported by design
SD300V		M-JPEG	1	2048x1536	-	-	-	Yes	-	Supported by design
SD500B		M-JPEG	1	2595x1944	-	-	-	Yes	-	Supported by design
SD500BN	NetCamSC 1.1.63	M-JPEG	1	2595x1944	-	-	-	Yes	-	
SD500V		M-JPEG	1	2595x1944	-	-	-	Yes	-	Supported by design

29 / 37

20110810

SD500VN		M-JPEG	1	2595x1944	-	-	-	Yes	-	Supported by design
SDEXP2	ExpressXL 1.1.63	M-JPEG	2	704x480	-	-	-	Yes	-	Supported by design
SDEXP4	ExpressXL 1.1.63	M-JPEG	4	704x480	-	-	-	Yes	-	Supported by design
SDH130B		H.264 M-JPEG	1	1296x976	-	1/0	-	Yes	-	Supported by design
SDH130V		H.264 M-JPEG	1	1296x960	-	1/0	-	Yes	-	Supported by design
SDH130BN		H.264 M-JPEG	1	1296x976	-	1/0	-	Yes	-	Supported by design
SDH130VN		H.264 M-JPEG	1	1296x1536	-	1/0	-	Yes	-	Supported by design
SDH300B		H.264 M-JPEG	1	2048x1536	-	1/0	-	Yes	-	Supported by design
SDH300V		H.264 M-JPEG	1	2048x1536	-	1/0	-	Yes	-	Supported by design
SDH500B		H.264 M-JPEG	1	2560x1944	-	1/0	-	Yes	-	Supported by design
SDH500V		H.264 M-JPEG	1	2560x1944	-	1/0	-	Yes	-	Supported by design
SDH500BN	1.1.68	H.264 M-JPEG	1	2560x1944	-	1/0	-	Yes	-	
SDH500VN		H.264 M-JPEG	1	2560x1944	-	1/0	-	Yes	-	Supported by design

Toshiba



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IKWB70A	0100e	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
IKWD01A	0100a	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	

20110810

Truen



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
TCAM-570	Enc:V1.103-031	H.264 M-PEG	1	1920x1080	1-way	2/2	Yes	Yes	-	
TCAM-330		H.264 MJPEG4	1	720x576	1-way	0/0	Yes	Yes	-	Supported by design
TCAM-351		H.264 MJPEG4	1	720x576	1-way	0/0	Yes	Yes	-	Supported by design
TCAM-370	Enc: V1.103C-005	H.264 MJPEG4	1	720x576	1-way	0/0	Yes	Yes	-	
TCAM-530	Enc: V1.103C-005	H.264 MJPEG4	1	1920x1280	1-way	1/1	-	Yes	-	
TCAM-531	Enc: V1.103C-005	H.264 MJPEG4	1	1280x960	1-way	1/1	-	Yes	-	
TCAM-531BIR		H.264 MJPEG4	1	1280x960	1-way	1/1	-	Yes	-	Supported by design
TCAM-540	Enc: V1.103C-006	H.264 MJPEG4	1	1920x1280	1-way	1/1	-	Yes	-	
TCAM-551		H.264 MJPEG4	1	1280x960	1-way	1/1	-	Yes	-	Supported by design
TCS-2000	Enc: V1.103C-005	H.264 MJPEG4	1	1920x1080	1-way	2/2	Yes	Yes	-	
TCS-300	Enc: V1.103C-005	H.264 MJPEG4	1	720x576	1-way	2/2	Yes	Yes	-	

Vidosec



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IBF-211	5.0.2.3874	H.264	1	1280x1024	1-way	1/1	Yes	Yes	Yes	

31 / 37

20110810

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ICS-13	CCD- CameraFw- 100811P et20110215NS	MPEG4	1	1280x1024	1-way	1/1	-	Yes	Yes	
		M-JPEG								
		H.264								
ICS-20F	Et20110215ANS	MPEG4	1	1280x960	1-way	1/1	-	Yes	-	
		M-JPEG								
		H.264								
ID-20	Et20110215ANS	MPEG4	1	1920x1080	1way	1/1	-	-	Yes	Yes
		M-JPEG								
		H.264								
IP-206M	5.a2.4031	MPEG4	1	1280x1024	1-way	-	-	Yes	Yes	
		M-JPEG								
		H.264								
IDA-210		MPEG4	1	1280x1024	1-way	1/1	Yes	Yes	Yes	Tested by manufacturer
		M-JPEG								
		H.264								
IS-240		MPEG4	1	1280x1024	1-way	1/1	Yes	Yes	Yes	Tested by manufacturer
		M-JPEG								
		H.264								
VS8801	0100h	MPEG4	8	720x480	1-way	8/8	Yes	Yes	-	*
		M-JPEG								
		H.264								

Vivotek



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
VS7100	0101e	MPEG4	1	720x576	-	1/1	Yes	Yes	Yes	
		M-JPEG								
PZ17X1		MPEG4	1	720x576	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
PZ71X2		MPEG4	1	720x576	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								

20110810

IP 7130	0100c	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
FD7130	0100e	MPEG4 M-JPEG	1	640x480	-	-	-	Yes	Yes	
PZ7131	0100B	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
FD7131		MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	Yes	Supported by design
FD7132	0100f	MPEG4 M-JPEG	1	640x480	-	1/1	-	Yes	Yes	
IP 7133	0100b	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
IP 7134	0100b	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
IP7138	0101h	MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
IP 7139		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Supported by design
FD 7141	0100g	MPEG4 M-JPEG	1	720x480	-	1/1	-	Yes	Yes	
IZ 7151		MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	Supported by design
SD 7151	0101d	MPEG4 M-JPEG	1	720x576	1-way	4/1	Yes	Yes	Yes	
PZ 7151	0101b	MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	Supported by design
IP 7151		MPEG4 M-JPEG	1	704x576	1-way	1/1	-	Yes	Yes	Supported by design
PZ 7152		MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	Supported by design
IP 7153		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
IP 7154	0100b	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
FD 7160		MPEG4 M-JPEG	1		1-way	1/1				
IP 7160	0101b	MPEG4	1	1600x1200	1-way	1/1	-	Yes	Yes	

20110810

		M-JPEG								
IP 7161		MPEG4	1	1600x1200	1-way	1/1	-	Yes	Yes	Supported by design
		M-JPEG								
IP 7251		MPEG4	1	640x480	1-way	1/1	Yes	Yes	Yes	
IP 7330		MPEG4	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
		M-JPEG								
SD 73X3		MPEG4	1	704x576	1-way	4/1	Yes	Yes	Yes	Supported by design
		M-JPEG								
IP 7361		MPEG4	1	1600x1200	1-way	1/1	-	Yes	Yes	Supported by design
		M-JPEG								
VS 8102		H.264	1	720x576	1-way	1/1	-	Yes	Yes	Supported by design
		MPEG4								
		M-JPEG								
IP 8161		H.264	1	1600x1200	1-way	1/1	Yes	Yes	Yes	
		MPEG4								
		M-JPEG								
FD 8161	0100h	H.264	1	1600x1200	1-way	1/1	-	Yes	Yes	Supported by design
		MPEG4								
		M-JPEG								
FD 8361	0100d1	H.264	1	1600x1200	1-way	1/1	-	Yes	Yes	
		MPEG4								
		M-JPEG								
FD 8133		H.264	1	1280x800	-	1/0	-	Yes	Yes	Supported by design
		MPEG4								
		M-JPEG								
FD 8134	0100e	H.264	1	1280x800	-	1/0	-	Yes	Yes	
		MPEG4								
		M-JPEG								
IP 8330	0100e	H.264	1	640x480	-	1/0	-	Yes	Yes	
		MPEG4								
		M-JPEG								
IP 8332		H.264	1	1280x800	-	1/0	-	Yes	Yes	Supported by design
		MPEG4								
		M-JPEG								
IP 8151		MPEG4	1	704x576	1-way	1/1	Yes	Yes	Yes	Supported by design
		M-JPEG								

20110810

IP 8132		H.264 MPEG4 M-JPEG	1	1280x800	-	1/0	-	Yes	Yes	Supported by design
MD 7560	0100c	H.264 MPEG4 M-JPEG	1	1600x1200	1-way	1/0	-	Yes	Yes	
SD 81X1	0100e	MPEG4 M-JPEG	1	704x576	1-way	4/1	Yes	Yes	Yes	
PZ 7132		MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	Supported by design
VS8102		H.264 MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	Supported by design

Zavio



Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
B5110	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Supported by design
B6110	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Supported by design
D510E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
D520E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
D610A	LM1.6.16	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
D6111	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Supported by design
D611E	LM1.6.16	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	

20110810

F210A	LM.1.6.15	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
F3100	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	Yes	Supported by design
F3105	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	Yes	Supported by design
F312A	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	Supported by design
F5100	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Supported by design
F5105	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Supported by design
F510E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
F510W	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
F5110	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Supported by design
F5115	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	Supported by design
F511E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
F511W	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
F520E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
F521E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
F610A	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	Supported by design
F611E	LM.1.6.16.007	MPEG4	1	640x480	1-way	1/1	-	Yes	Yes	

20110810

		M-JPEG									
F721A	LM.1.6.16.03	MPEG4	1	640x480	1-way	-	-	Yes	Yes	Yes	Supported by design
		M-JPEG									
F731E	LM.1.6.16.03	MPEG4	1	640x480	1-way	1/1	-	Yes	Yes	Yes	Supported by design
		M-JPEG									
M510E	LM.1.6.16.03	MPEG4	1	640x480	1-way	1/1	Yes	Yes	Yes	Yes	Supported by design
		M-JPEG									
M510W	LM.1.6.16.03	MPEG4	1	640x480	1-way	1/1	Yes	Yes	Yes	Yes	Supported by design
		M-JPEG									
M511E	LM.1.6.16.03	MPEG4	1	640x480	1-way	1/1	Yes	Yes	Yes	Yes	Supported by design
		M-JPEG									
M511W	LM.1.6.16.03	MPEG4	1	640x480	1-way	1/1	Yes	Yes	Yes	Yes	Supported by design
		M-JPEG									
P5110	MG.0.6.01_C1	H.264	1	1280x1024	1-way	1/1	Yes	Yes	Yes	Yes	Supported by design
		MPEG4									
		M-JPEG									
P5115	MG.0.6.01_C1		1	1280x1024	1-way	1/1	Yes	Yes	Yes	Yes	
V111T(video server)	LM.1.6.16.03	MPEG4	1	640x480	1-way	1/1	Yes	Yes	Yes	Yes	Supported by design
		M-JPEG									